

References for *CAPN3*

August 21, 2008

- Fanin, M., L. Fulizio, et al. (2004). "Molecular diagnosis in LGMD2A: mutation analysis or protein testing?" Hum Mutat **24**(1): 52-62.
- Fanin, M., A. C. Nascimbeni, et al. (2005). "The frequency of limb girdle muscular dystrophy 2A in northeastern Italy." Neuromuscul Disord **15**(3): 218-24.
- Groen, E. J., R. Charlton, et al. (2007). "Analysis of the UK diagnostic strategy for limb girdle muscular dystrophy 2A." Brain **130**(Pt 12): 3237-49.
- Guglieri, M., F. Magri, et al. (2008). "Clinical, molecular, and protein correlations in a large sample of genetically diagnosed Italian limb girdle muscular dystrophy patients." Hum Mutat **29**(2): 258-66.
- Krahn, M., A. Lopez de Munain, et al. (2006). "CAPN3 mutations in patients with idiopathic eosinophilic myositis." Ann Neurol **59**(6): 905-11.
- Krahn, M., R. Bernard, et al. (2006). "Screening of the CAPN3 gene in patients with possible LGMD2A." Clin Genet **69**(5): 444-9.
- Moore, S. A., C. J. Shilling, et al. (2006). "Limb-girdle muscular dystrophy in the United States." J Neuropathol Exp Neurol **65**(10): 995-1003.
- Piluso, G., L. Politano, et al. (2005). "Extensive scanning of the calpain-3 gene broadens the spectrum of LGMD2A phenotypes." J Med Genet **42**(9): 686-93.
- Richard, I., C. Roudaut, et al. (1999). "Calpainopathy-a survey of mutations and polymorphisms." Am J Hum Genet **64**(6): 1524-40.
- Saenz, A., F. Leturcq, et al. (2005). "LGMD2A: genotype-phenotype correlations based on a large mutational survey on the calpain 3 gene." Brain **128**(Pt 4): 732-42.
- Todorova, A., W. Kress, et al. (2005). "Novel mutations in the calpain 3 gene in Germany." Clin Genet **67**(4): 356-8.